ELSEVIER

Clinica Chimica Acta 274 (1998) 219–220

Author index

Volume 274 (1998)

Akanji, A.O., Al-Shayji, I., The relationships between insulin and plasminogen activator inhibitor 1 levels: assessment in groups of subjects with dyslipidaemia and hypertension **274**, 41
Alba, F., see Martínez, J.M. **274**, 53
Al-Shayji, I., see Akanji, A.O. **274**, 41
Anna, P., see Guevara, I. **274**, 177
Arias, J.M., see Martínez, J.M. **274**, 53

Balsells, D., Gella, F.J., Gubern, G., Canalias, F., Reference values for α-amylase in human serum and urine using 2-chloro-4-nitrophenyl-α-D-maltotrioside as substrate **274**, 213
Bartelega, M.J.L.F., see Parentoni, L.S. **274**, 105
Bartuś, S., see Guevara, I. **274**, 177

Canalias, F., see Balsells, D. **274**, 213
Carrillo, J.L., see Fernández-Miranda, C. **274**, 63
Castilho, L.N., see Parentoni, L.S. **274**, 105

D'Alessandro, A.M., D'Andrea, G., Oratore, A., Peroxidase-labelling of human serum transferrin by conjugation to oligosaccharide moieties **274**, 189
D'Andrea, G., see D'Alessandro, A.M. **274**, 189
de Faria, E.C., see Parentoni, L.S. **274**, 105
de Gasparo, M., see Martínez, J.M. **274**, 53
del Palacio, A., see Fernández-Miranda, C. **274**, 63
Dembińska-Kieć, A., see Guevara, I. **274**, 177
Demshar, H.P., see Wang, S.T. **274**, 151
Dijkstra, J.B., see Harff, G.A. **274**, 29
Dobmeyer, J.M., Rexin, M., Dobmeyer, T.S., Klein, S.A., Rossol, R., Feussner, G., Quantitation of apolipoprotein *e* gene expression by competitive polymerase chain reaction in a patient with familial apolipoprotein E deficiency **274**, 119
Dobmeyer, T.S., see Dobmeyer, J.M. **274**, 119
Dörr, H.G., see Krüger, C. **274**, 15

Elei, E., see Rhode, H. **274**, 71

Facin, A.C.C., see Parentoni, L.S. **274**, 105
Fernández-Miranda, C., Pulido, F., Carrillo, J.L., Larumbe, S., Izquierdo, T.G., Ortuño, B., Rubio, R., Del Palacio, A., Lipoprotein alterations in patients with HIV infection: relation with cellular and humoral immune markers **274**, 63
Fernández-Romero, J.M., see Ortiz-Boyer, F. **274**, 139
Feussner, G., see Dobmeyer, J.M. **274**, 119
Fischer, F., Graschew, G., Sinn, H.-J., Maier-Borst, W., Lorenz, W.J., Schlag, P.M., A chemical dosimeter for the determination of the photodynamic activity of photosensitizers **274**, 89
Friedl, W., Mair, J., Pichler, M., Paulweber, B., Sandhofer, F., Puschendorf, B., Insertion/deletion polymorphism in the angiotensin-converting enzyme gene is associated with atrial natriuretic peptide activity after exercise **274**, 199
Fujisawa, T., see Sakamoto, N. **274**, 159

Gasser, F., see Sapin, R. **274**, 111
Gella, F.J., see Balsells, D. **274**, 213
Gołąbek, I., see Guevara, I. **274**, 177
Graschew, G., see Fischer, F. **274**, 89
Grucker, D., see Sapin, R. **274**, 111
Gubern, G., see Balsells, D. **274**, 213
Guevara, I., Iwanejko, J., Dembińska-Kieć, A., Pankiewicz, J., Wanat, A., Anna, P., Gołąbek, I., Bartuś, S., Malczewska-Malec, M., Szczudlik, A., Determination of nitrite/nitrate in human biological material by the simple Griess reaction **274**, 177

0009-8981/98/$19.00 Elsevier Science B.V. All rights reserved.
PII: S009-8981(98)00087-4

Harff, G.A., Jeurissen, R.W.M., Dijkstra, J.B., Rietjens, T.J.M., Schönberger, J.P.A.M., Differentiation between transmural perioperative myocardial infarction and subendocardial injury after coronary artery bypass grafting using biochemical tests, elaborated by cluster and discriminant analysis **274**, 29
Hermoso, F., see Martínez, J.M. **274**, 53
Hidaka, K., see Sakamoto, N. **274**, 159
Hobbs, G.A., Kaplan, I.V., Levinson, S.S., Mechanized lipoprotein(a) assay as a marker for coronary artery disease illustrates the usefulness of high lipoprotein(a) levels **274**, 1
Horn, A., see Rhode, H. **274**, 71

Iuchi, I., see Sakamoto, N. **274**, 159
Iwanejko, J., see Guevara, I. **274**, 177
Izquierdo, T.G., see Fernández-Miranda, C. **274**, 63

Jeurissen, R.W.M., see Harff, G.A. **274**, 29

Kaplan, I.V., see Hobbs, G.A. **274**, 1
Klein, S.A., see Dobmeyer, J.M. **274**, 119
Krüger, C., Rauh, M., Dörr, H.G., Immunoreactive renin concentrations in healthy children from birth to adolescence **274**, 15

Larumbe, S., see Fernández-Miranda, C. **274**, 63
Levinson, S.S., see Hobbs, G.A. **274**, 1
Lorenz, W.J., see Fischer, F. **274**, 89
Luque de Castro, M.D., see Ortiz-Boyer, F. **274**, 139

Maeda, M., see Sakamoto, N. **274**, 159
Maier-Borst, W., see Fischer, F. **274**, 89
Mair, J., see Friedl, W. **274**, 199
Malczewska-Malec, M., see Guevara, I. **274**, 177
Martínez, J.M., Prieto, I., Ramírez, M.J., De Gasparo, M., Hermoso, F., Arias, J.M., Alba, F., Ramírez, M., Sex differences and age-related changes in human serum aminopeptidase A activity **274**, 53
Moda, V.M.S., see Parentoni, L.S. **274**, 105

Nakanishi, K., see Shima, Y. **274**, 167

Ohta, H., see Shima, Y. **274**, 167
Ongagna, J.-C., see Sapin, R. **274**, 111
Oratore, A., see D'Alessandro, A.M. **274**, 189
Ortiz-Boyer, F., Fernández-Romero, J.M., Luque de Castro, M.D., Quesada, J.M., Quantitation of circulating hydroxyvitamin D_3 in human plasma by a continuous cleanup/concentration procedure prior to HPLC–UV detection **274**, 139
Ortuño, B., see Fernández-Miranda, C. **274**, 63

Pankiewicz, J., see Guevara, I. **274**, 177
Parentoni, L.S., de Faria, E.C., Bartelega, M.J.L.F., Moda, V.M.S., Facin, A.C.C., Castilho, L.N., Glycated hemoglobin reference limits obtained by high performance liquid chromatography in adults and pregnant women **274**, 105
Paulweber, B., see Friedl, W. **274**, 199
Pichler, M., see Friedl, W. **274**, 199
Pizzolato, S., see Wang, S.T. **274**, 151
Podskarbi, T., see Rhode, H. **274**, 71
Prieto, I., see Martínez, J.M. **274**, 53
Pulido, F., see Fernández-Miranda, C. **274**, 63
Puschendorf, B., see Friedl, W. **274**, 199

Quesada, J.M., see Ortiz-Boyer, F. **274**, 139

Ramírez, M., see Martínez, J.M. **274**, 53
Ramírez, M.J., see Martínez, J.M. **274**, 53
Rauh, M., see Krüger, C. **274**, 15
Rexin, M., see Dobmeyer, J.M. **274**, 119
Rhode, H., Elei, E., Taube, I., Podskarbi, T., Horn, A., Newborn screening for galactosemia: ultramicro assay for galactose-1-phosphate-uridyltransferase activity **274**, 71
Rietjens, T.J.M., see Harff, G.A. **274**, 29
Rossol, R., see Dobmeyer, J.M. **274**, 119
Rubio, R., see Fernández-Miranda, C. **274**, 63

Sakamoto, N., Hidaka, K., Fujisawa, T., Maeda, M., Iuchi, I., Identification of a point mutation associated with a silent phenotype of human serum butyrylcholinesterase – a case of familial cholinesterasemia **274**, 159
Sandhofer, F., see Friedl, W. **274**, 199
Sapin, R., Ongagna, J.-C., Gasser, F., Grucker, D., Insulin measurements in haemolysed serum: influence of insulinase inhibitors **274**, 111
Schlag, P.M., see Fischer, F. **274**, 89
Schönberger, J.P.A.M., see Harff, G.A. **274**, 29
Shima, Y., Tsukada, T., Nakanishi, K., Ohta, H., Association of the Trp64Arg mutation of the β_3-adrenergic receptor with fatty liver and mild glucose intolerance in Japanese subjects **274**, 167
Sinn, H.-J., see Fischer, F. **274**, 89
Szczudlik, A., see Guevara, I. **274**, 177

Taube, I., see Rhode, H. **274**, 71
Tsukada, T., see Shima, Y. **274**, 167

Wanat, A., see Guevara, I. **274**, 177
Wang, S.T., Pizzolato, S., Demshar, H.P., Diagnostic effectiveness of TSH screening and of T4 with secondary TSH screening for newborn congenital hypothyroidism **274**, 151

ELSEVIER

Clinica Chimica Acta 274 (1998) 221–224

Subject index

Volume 274 (1998)

Actinometry; Uric acid; Uric acid test; Photodynamic therapy; Chemical; Dosimeter; Singlet oxygen; Photofrin II; Porphyrin; Methoxypolyethyleneglycol **274**, 89

β_3-adrenergic receptor; Obesity; BMI; Fatty liver; Glucose intolerance **274**, 167

Ageing; Aminopeptidase A; Human serum; Development; Sex differences **274**, 53

Aminopeptidase A; Human serum; Development; Ageing; Sex differences **274**, 53

Angiotensin II; Natriuretic peptides; Angiotensin-converting enzyme; Insertion/deletion polymorphism; Left ventricular dysfunction; Congestive heart failure **274**, 199

Angiotensin-converting enzyme; Natriuretic peptides; Insertion/deletion polymorphism; Left ventricular dysfunction; Angiotensin II; Congestive heart failure **274**, 199

Apolipoprotein E; Atherosclerosis; Polymerase chain reaction; Gene expression; Macrophage **274**, 119

Apolipoproteins; Lipoprotein(a); Mechanized; Atherogenicity **274**, 1

Arabs; Hyperlipidaemia; Insulin; Tissue plasminogen activator; Coronary heart disease **274**, 41

AST; Perioperative myocardial infarction; CABG; Troponin T; CK-MB mass; CK-MB activity **274**, 29

Atherogenicity; Lipoprotein(a); Mechanized; Apolipoproteins **274**, 1

Atherosclerosis; Apolipoprotein E; Polymerase chain reaction; Gene expression; Macrophage **274**, 119

BMI; β_3-adrenergic receptor; Obesity; Fatty liver; Glucose intolerance **274**, 167

Butyrylcholinesterase deficiency; Succinylcholine; Gene analysis; Point mutation **274**, 159

CABG; Perioperative myocardial infarction; Troponin T; CK-MB mass; CK-MB activity; AST **274**, 29

CD4+ lymphocytes; HIV; Lipoproteins; β2-microglobulin; Interferon-α; Tumor necrosis factor-α **274**, 63

Chemical; Uric acid; Uric acid test; Photodynamic therapy; Actinometry; Dosimeter; Singlet oxygen; Photofrin II; Porphyrin; Methoxypolyethyleneglycol **274**, 89

Children; Immunoradiometric assay; Renin; Normal values; Newborn infant **274**, 15

2-chloro-4-nitrophenyl-α-D-maltotrioside; Pancreatic α-amylase; Reference values; Statistical analysis **274**, 213

0009-8981/98/$19.00 Elsevier Science B.V. All rights reserved.
PII: S009-8981(98)00088-6

p-chloromercuriphenyl sulfonate; Interference; Preanalytical stage **274**, 111

CK-MB activity; Perioperative myocardial infarction; CABG; Troponin T; CK-MB mass; AST **274**, 29

CK-MB mass; Perioperative myocardial infarction; CABG; Troponin T; CK-MB activity; AST **274**, 29

Congenital hypothyroidism (CH); Newborn screening; Receiver operating characteristic (ROC) plot **274**, 151

Congestive heart failure; Natriuretic peptides; Angiotensin-converting enzyme; Insertion/deletion polymorphism; Left ventricular dysfunction; Angiotensin II **274**, 199

Continuous cleanup/preconcentration; Flow injection analysis; HPLC; UV-detection hydroxyvitamin D_3 metabolites; plasma **274**, 139

Coronary heart disease; Hyperlipidaemia; Insulin; Tissue plasminogen activator; Arabs **274**, 41

CSF; Nitric oxide; Serum; Urine; Griess reaction **274**, 177

Development; Aminopeptidase A; Human serum; Ageing; Sex differences **274**, 53

Diabetes; Glycated hemoglobin; Reference limits; HPLC **274**, 105

Dosimeter; Uric acid; Uric acid test; Photodynamic therapy; Actinometry; Chemical; Singlet oxygen; Photofrin II; Porphyrin; Methoxypolyethyleneglycol **274**, 89

Fatty liver; β_3-adrenergic receptor; Obesity; BMI; Glucose intolerance **274**, 167

Flow injection analysis; continuous cleanup/preconcentration; HPLC; UV-detection hydroxyvitamin D_3 metabolites; plasma **274**, 139

Fluorimetry; Galactosemia; Newborn screening; GALT **274**, 71

Galactosemia; Newborn screening; Fluorimetry; GALT **274**, 71

GALT; Galactosemia; Newborn screening; Fluorimetry **274**, 71

Gene analysis; Butyrylcholinesterase deficiency; Succinylcholine; Point mutation **274**, 159

Gene expression; Apolipoprotein E; Atherosclerosis; Polymerase chain reaction; Macrophage **274**, 119

Glucose intolerance; β_3-adrenergic receptor; Obesity; BMI; Fatty liver **274**, 167

Glycated hemoglobin; Diabetes; Reference limits; HPLC **274**, 105

Griess reaction; Nitric oxide; Serum; Urine; CSF **274**, 177

HIV; Lipoproteins; β2-microglobulin; Interferon-α; Tumor necrosis factor-α; CD4 + lymphocytes **274**, 63

Horseradish peroxidase; Human serum transferrin; Sodium periodate; Western-blotting; Transferrin receptor; Non-isotopic probe **274**, 189

HPLC; Diabetes; Glycated hemoglobin; Reference limits **274**, 105

HPLC; Flow injection analysis; continuous cleanup/preconcentration; UV-detection hydroxyvitamin D_3 metabolites; plasma **274**, 139

Human serum transferrin; Sodium periodate; Horseradish peroxidase; Western-blotting; Transferrin receptor; Non-isotopic probe **274**, 189

Human serum; Aminopeptidase A; Development; Ageing; Sex differences **274**, 53

Hyperlipidaemia; Insulin; Tissue plasminogen activator; Coronary heart disease; Arabs **274**, 41

Immunoradiometric assay; Renin; Normal values; Newborn infant; Children **274**, 15

Insertion/deletion polymorphism; Natriuretic peptides; Angiotensin-converting enzyme; Left ventricular dysfunction; Angiotensin II; Congestive heart failure **274**, 199

Insulin; Hyperlipidaemia; Tissue plasminogen activator; Coronary heart disease; Arabs **274**, 41

Interference; *p*-chloromercuriphenyl sulfonate; Preanalytical stage **274**, 111

Interferon-α; HIV; Lipoproteins; β2-microglob-

ulin; Tumor necrosis factor-α; CD4 + lymphocytes **274**, 63

Left ventricular dysfunction; Natriuretic peptides; Angiotensin-converting enzyme; Insertion/deletion polymorphism; Angiotensin II; Congestive heart failure **274**, 199

Lipoprotein(a); Mechanized; Atherogenicity; Apolipoproteins **274**, 1

Lipoproteins; HIV; β2-microglobulin; Interferon-α; Tumor necrosis factor-α; CD4 + lymphocytes **274**, 63

Macrophage; Apolipoprotein E; Atherosclerosis; Polymerase chain reaction; Gene expression **274**, 119

Mechanized; Lipoprotein(a); Atherogenicity; Apolipoproteins **274**, 1

Methoxypolyethyleneglycol; Uric acid; Uric acid test; Photodynamic therapy; Actinometry; Chemical; Dosimeter; Singlet oxygen; Photofrin II; Porphyrin **274**, 89

β2-microglobulin; HIV; Lipoproteins; Interferon-α; Tumor necrosis factor-α; CD4 + lymphocytes **274**, 63

Natriuretic peptides; Angiotensin-converting enzyme; Insertion/deletion polymorphism; Left ventricular dysfunction; Angiotensin II; Congestive heart failure **274**, 199

Newborn infant; Immunoradiometric assay; Renin; Normal values; Children **274**, 15

Newborn screening; Congenital hypothyroidism (CH); Receiver operating characteristic (ROC) plot **274**, 151

Newborn screening; Galactosemia; Fluorimetry; GALT **274**, 71

Nitric oxide; Serum; Urine; CSF; Griess reaction **274**, 177

Non-isotopic probe; Human serum transferrin; Sodium periodate; Horseradish peroxidase; Western-blotting; Transferrin receptor **274**, 189

Normal values; Immunoradiometric assay; Renin; Newborn infant; Children **274**, 15

Obesity; β_3-adrenergic receptor; BMI; Fatty liver; Glucose intolerance **274**, 167

Pancreatic α-amylase; 2-chloro-4-nitrophenyl-α-D-maltotrioside; Reference values; Statistical analysis **274**, 213

Perioperative myocardial infarction; CABG; Troponin T; CK-MB mass; CK-MB activity; AST **274**, 29

Photodynamic therapy; Uric acid; Uric acid test; Actinometry; Chemical; Dosimeter; Singlet oxygen; Photofrin II; Porphyrin; Methoxypolyethyleneglycol **274**, 89

Photofrin II; Uric acid; Uric acid test; Photodynamic therapy; Actinometry; Chemical; Dosimeter; Singlet oxygen; Porphyrin; Methoxypolyethyleneglycol **274**, 89

Plasma; Flow injection analysis; continuous cleanup/preconcentration; HPLC; UV-detection hydroxyvitamin D_3 metabolites **274**, 139

Point mutation; Butyrylcholinesterase deficiency; Succinylcholine; Gene analysis **274**, 159

Polymerase chain reaction; Apolipoprotein E; Atherosclerosis; Gene expression; Macrophage **274**, 119

Porphyrin; Uric acid; Uric acid test; Photodynamic therapy; Actinometry; Chemical; Dosimeter; Singlet oxygen; Photofrin II; Methoxypolyethyleneglycol **274**, 89

Preanalytical stage; Interference; *p*-chloromercuriphenyl sulfonate **274**, 111

Receiver operating characteristic (ROC) plot; Newborn screening; Congenital hypothyroidism (CH) **274**, 151

Reference limits; Diabetes; Glycated hemoglobin; HPLC **274**, 105

Reference values; 2-chloro-4-nitrophenyl-α-D-maltotrioside; Pancreatic α-amylase; Statistical analysis **274**, 213

Renin; Immunoradiometric assay; Normal values; Newborn infant; Children **274**, 15

Serum; Nitric oxide; Urine; CSF; Griess reaction **274**, 177

Sex differences; Aminopeptidase A; Human serum; Development; Ageing **274**, 53

Singlet oxygen; Uric acid; Uric acid test; Photodynamic therapy; Actinometry; Chemical; Dosimeter; Photofrin II; Porphyrin; Methoxypolyethyleneglycol **274**, 89

Sodium periodate; Human serum transferrin; Horseradish peroxidase; Western-blotting; Transferrin receptor; Non-isotopic probe **274**, 189

Statistical analysis; 2-chloro-4-nitrophenyl-α-D-maltotrioside; Pancreatic α-amylase; Reference values **274**, 213

Succinylcholine; Butyrylcholinesterase deficiency; Gene analysis; Point mutation **274**, 159

Tissue plasminogen activator; Hyperlipidaemia; Insulin; Coronary heart disease; Arabs **274**, 41

Transferrin receptor; Human serum transferrin; Sodium periodate; Horseradish peroxidase; Western-blotting; Non-isotopic probe **274**, 189

Troponin T; Perioperative myocardial infarction; CABG; CK-MB mass; CK-MB activity; AST **274**, 29

Tumor necrosis factor-α; HIV; Lipoproteins; β2-microglobulin; Interferon-α; CD4 + lymphocytes **274**, 63

Uric acid test; Uric acid; Photodynamic therapy; Actinometry; Chemical; Dosimeter; Singlet oxygen; Photofrin II; Porphyrin; Methoxypolyethyleneglycol **274**, 89

Uric acid; Uric acid test; Photodynamic therapy; Actinometry; Chemical; Dosimeter; Singlet oxygen; Photofrin II; Porphyrin; Methoxypolyethyleneglycol **274**, 89

Urine; Nitric oxide; Serum; CSF; Griess reaction **274**, 177

UV-detection hydroxyvitamin D_3 metabolites; Flow injection analysis; continuous cleanup/preconcentration; HPLC; plasma **274**, 139

Western-blotting; Human serum transferrin; Sodium periodate; Horseradish peroxidase; Transferrin receptor; Non-isotopic probe **274**, 189